



Product Service

Attestation of Conformity

No. E8A 124237 0006 Rev. 00

Holder of Attestation: **WUXI XINJE ELECTRIC CO., LTD.**

No. 816, Jianzhu West Road, Binhu District
214026 Wuxi City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **AC Servo Driver**
Servo Driver

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 4852025205700

Date, 2025-09-18

(Haifeng Cao)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 124237 0006 Rev. 00

Model(s): **DS5CD-EF-PTA-G-H, DL6-2003-G-H, DL6-2006-G-H**
 "C" means function, can be C, L, K, blank;
 C: EtherCAT type, L: Pulse type, K: Fully function type;
 "D" means version, can be 1, 2, 1S, blank;
 "E" means power supply voltage, can be 2, 4:
 2: 200-240V~, 4: 380-440V~;
 "F" means rated power, can be 0P1, 0P4, 0P7, 1P0, 1P5, 2P3, 2P6, 3P0, 5P5, 7P5:
 0P1: 0.1kW, 0P4: 0.4kW, 0P7: 0.75kW, 1P0: 1.0kW, 1P5: 1.5kW, 2P3: 2.3kW, 2P6: 2.6kW, 3P0: 3.0kW, 5P5: 5.5kW, 7P5: 7.5kW;
 "G" means special function requirement, can be FS, FH, GS, blank;
 FS: Functional safety type, FH: High protection type, GS: Support gantry synchronization type, blank;
 Standard type;
 "H" means product/client code, can be suffix "xxxxxxxxxxxxxxxx", where "x" can be "0-9", "A-Z", "-" or blank.

Description of Object:

Rated voltage:	200-240V~ (for DS5CD-2F-PTA-G-H, DL6-2003-G-H, DL6-2006-G-H) 380-440V~ (for DS5CD-4F-PTA-G-H)
Rated frequency:	50/60Hz
Rated power/current:	0.1kW (for DS5CD-E0P1-PTA-G-H) 0.4kW (for DS5CD-E0P4-PTA-G-H) 0.75kW (for DS5CD-E0P7-PTA-G-H) 1.0kW (for DS5CD-E1P0-PTA-G-H) 1.5kW (for DS5CD-E1P5-PTA-G-H) 2.3kW (for DS5CD-E2P3-PTA-G-H) 2.6kW (for DS5CD-E2P6-PTA-G-H) 3.0kW (for DS5CD-E3P0-PTA-G-H) 5.5kW (for DS5CD-E5P5-PTA-G-H) 7.5kW (for DS5CD-E7P5-PTA-G-H) 2.8A (for DL6-2003-G-H) 6.0A (for DL6-2006-G-H)

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 124237 0006 Rev. 00

**Tested
according to:**

EN IEC 61000-6-4:2019
EN IEC 61000-6-2:2019
EN IEC 61800-3:2023

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.